

## EzScope 101

Live Cell Imaging System





LIVE CELL LIVE SHOW

# LIVE CELL, LIVE SHOW EZSCOPE 101 IS A DEDICATED LIVE CELL IMAGING SYSTEM

that helps to streamline your research workflow with improved efficiency and productivity, no more hassles to remove cells from incubator for observation. EzScope 101 brings 24/7 measurements under precisely controlled conditions in a non-perturbing environment. You can observe the images anytime, with walk-away convenience. Up to four samples can be monitoring simultaneously in a same incubator. This feature helps reduce repetitive action, saves time, and optimizes experiment efficiency.

#### **Incubator Live View**

Designed to be used inside the incubator, without the need to remove your cells from incubator to enhance culture quality control.

## Minimizes **Experimental Variations**

Up to four units of EzScope can be setup in the same incubator and controlled by one computer. This enables the monitoring of samples simultaneously, reduces errors caused by environment variations.



## **Exceptional Image Quality**

Adopts high contract brightfield optical configuration, coupled with precise motorized focusing, and two interchangeable magnifying objective lenses.

## Remote Monitoring of Experiment

Allows flexible remote monitoring the assay via Windows-based remote desktop software.

### **Easy Image Editor**

Captures and edits images easily with EzCapture software:

- Live preview for up to 4 units of EzScope
- Capture single image or time-lapse series
- · Flatfielding correction for even brightfield background
- Time-lapse video output
- Spatial calibration
- Measure and convergence analysis

#### **Applications**


Widely used in a variety of cell-related assays. See more applications at www.blue-raybio.com



SBLUE-RAY

EzscopelOI

Synovinal Mesenchymal Stem Cell



Cancer Cell Line



MDA-MB-231



Cardiac Muscle Cell



## **Specifications**

Optics	Brightfield (transmitted) with white LED
Objective Lens	10x, 20x (optional)
Camera	1.3 MP CMOS Sensor
Image Resolution	1280 x 1024 pixels
Export Formats	Tiff(image), AVI(video)
Software	EzCapture with snapshot, time-lapse and confluence, etc
Field of View	2.6 x 2.0 mm (10x objective)
Resolution	2 μm/pixel (10x objective)
	1 μm/pixel (20x objective)
Live View Frame Rate	Up to 8 frames/second
Focusing	Motorized
Stage	
Manual XY Stage (optional)	SBS footprint
Labware Holders (optional)	35mm Culture Dish and Slide
	60mm Culture Dish and Slide
	T-25 Culture Flask
	T-75 Culture Flask
General	
Computer Requirements	i3 CPU with 4 GB RAM, Windows 10 OS
	i5 CPU with 8 GB RAM, Windows 10 OS for multiple units connection
Connectivity	USB 2.0/3.0, up to 4 units
Power Adaptor	Input: AC 100-240V, 50/60Hz; Output: DC 5V, 2A
Dimensions (W x D x H)	225 x 131 x 205 mm
Weight	2.0 kg
Operating Conditions	0°C - 42°C , 5% - 95% RH non-condensing
Certifications	CE, RoHS

Specifications are subject to change without prior notice.

## **Ordering Information**

BRLC-0101	EzScope 101 Brightfield Live Cell Imaging System with	10x lens
275-LCBR02-00	20x lens	
275-LCBR03-00	Mechanical XY stage with 4 adaptors	
275-LCBR04-00	35 mm culture dish and slide adaptor for XY stage	
275-LCBR05-00	60 mm culture dish and slide adaptor for XY stage	
275-LCBR06-00	T-25 culture flask adaptor for XY stage	
275-LCBR07-00	T-75 culture flask adaptor for XY stage	A
ECEW-LC01	1-year extended warranty	



